



Technical Features

GOLD/SILVER



Vinyl on TNT characterized by a metallic coating that recreates the sparkling effect of gold or silver. As for PRIME, this support is easily washable, flame retardant and particularly resistant.

COMPOSITION: Gold / silver foil on TNT, 350 g/mq

ASPECT: material texture, scratches and sponging resistant

width 102 cm - length custom

ewlefp: Yes

fmsgmhi and : Yes

CERTIFICATION: EN ISO - EPD ISO14025 std

VOCs - Absent

FIRE REACTION - EN 13501-1: B-S2, d0

FSC Credit Mix



ECOMAIS



Completely natural coating, based on cellulose supported by regenerated corn with natural glues. This support represents the most environmentally friendly choice, thanks also to its total compostability.

COMPOSITION: Mais on Mais Cellulose, White 350 g/mq

ASPECT: material texture, scratches and sponging resistant

ROLL MEASURES: width 66 cm - length custom

WASHABLE: Yes

PVC FREE and COMPOSTABLE: Yes

BIOCIDE and ANTIMICROBIAL: Yes

CERTIFICATIONS: EN ISO - EN 15102+A1:2012

VOCs - Absent

FIRE REACTION - EN 13501-1: B-S2, d0

FSC Credit Mix



ECOPAPER



Pure cellulose and polyester fibers combined with a non-woven fabric support ensure exceptional stability characteristics, breathability and tactility. This paper proves to be compatible with the environment thanks to the absence of PVC.

COMPOSITION: Paper on TNT, 147/180 g/mq

ASPECT: material texture, matt and natural

ROLL MEASURES: width 109 cm - length custom


WASHABLE: No

PVC FREE: Yes

CERTIFICATIONS: EN ISO - FR EN 13501-1 / EN 15102

FIRE REACTION - EN 13501-1: C-S1, d0

FSC Credit Mix



GLASS



100% mineral fiber to ensure total stability and resistance to mold and humidity. Ideal for bathrooms, kitchens and humid environments. Thanks to the addition of a resin coating cycle also suitable for inside usage showers.

COMPOSITION: Fiber glass, White 220 g/mq

ASPECT: material texture, scratches and sponging resistant

ROLL MEASURES: width 93 cm - length custom

WASHABLE: Yes, with water repellent treatment

PVC FREE: Yes

CERTIFICATIONS: EN ISO - EN 15102+A1:2012

FIRE REACTION - EN 15102-1: B-S1, d0



ACOUSTIC



Vinyl on TNT characterized by differentiated layers that improve by reducing the noises coming from the outside and the escape of those emitted from the inside. A support with sound-absorbing and sound-insulating properties that improves the acoustic comfort of the rooms.

COMPOSITION: PVC, plasticizers and cotton cloth, 770 g/mq

ASPECT: tmaterial texture, scratches and sponging resistant

ROLL MEASURES: width 132 cm - length custom

WASHABLE: Yes

DISINFECTABLE, SOUND ABSORPTION, ANTIBACTERIAL, UNALTERABLE TO LIGHT, NON ABSORBENT, WATERPROOF: Yes

CERTIFICATIONS: VOCs - Absent

FIRE REACTION CLASS 1 - B-S2, d0

